



High performance architectural panels **by Formica Group**

For simply great
cladding, that performs
all year round



+ F9687 Cinder Grey



VIVIX+® by Formica Group is a range of high performance architectural panels to create beautiful, long lasting & low maintenance building facades

Manufactured in the Nordic region, new VIVIX+ panels have been enhanced to improve performance and weatherability, to keep buildings looking better for longer.






+ F9689 Exterior Yellow



Enhanced surface technology
- buildings will look better for longer



Highly UV & weather resistant,
performing all year round





Looking great, naturally

The closed surface of new VIVIX+® panels provides a number of outstanding performance benefits:

- UV protection for colour stability.
- Highly weather resistant panels, that perform all year round.
- Durability - highly scratch, stain and impact resistant.
- Panels do not rot and are highly resilient to cracking and chipping.
- VIVIX+ surface technology protects the panel, is easy to clean and allows graffiti or residual dirt to be removed.
- Low maintenance - no need for additional coatings or treatments, edge sealing or painting.





+ F9656 Industrial Grey

+ F9653 Eucalyptus Green

+ F9628 Natural White

A modern cladding solution, for new buildings and renovation projects

VIVIX+® panels are a highly usable cladding solution for both residential and commercial projects.

- Cost effective method to reclad older buildings, giving them a fresh appearance and greater appeal.
- A modern material, for new buildings - either to clad the full facade or to create design features, alongside complementary materials such as brick, render and glass.





+ F9650 Earthen





Durability – highly scratch, stain and impact resistant



Low maintenance, relatively lightweight and easy to install

+ F9656 Industrial Grey



Building protection

VIVIX+® panels act as a protective screen against the elements and as part of a ventilated facade system, can contribute to improved building performance.

- A cavity between the building wall and VIVIX+ panels enables a constant flow of air through the ventilated facade system.
- Moisture drains out or is evaporated by circulating air, keeping the building dry.
- VIVIX+ panels can help to protect the building from direct heat and cold.
- Additional insulation can be built into the system to improve a buildings thermal efficiency.
- VIVIX+ panels carry a 10-year warranty. If installed and maintained correctly, they will continue to look good for decades.



+ F9651 Terrain

Building 'color'

Inspired by the Nordic environment, the new VIVIX+® range of predominantly natural 'colors' have been selected to stay close to nature and to complement established architecture.

15 neutrals that range from white to black and include cool greys and earth tones are partnered with 4 'fun colors', when something bolder is needed.

+ F9653 Eucalyptus Green




+ F9650 Earthen




+ F9649 Fired Clay




Decors




F9628
Natural White




F9629
Cool White



F9646
Cement Grey




F9652
Smoked Grey




F9655
River Grey



F9656
Industrial Grey



F9687
Cinder Grey




F9688
Carbon Black




F9647
Tan



F9649
Fired Clay




F9650
Earthen



F9653
Eucalyptus Green



F9654
Warm Grey



F9651
Terrain



F9686
Burnt Grey



F9691
Exterior Red



F9689
Exterior Yellow



F9690
Exterior Green



F9692
Exterior Blue

Size and availability

3050x1290mm		2440x1290mm	
Grade: EDF (Brown Core)	Grade: EDF (Brown Core)	Grade: EDF (Brown Core)	Grade: EDF (Brown Core)

Code	Decor	NCS*	RAL*	6mm	8mm	6mm	8mm
F9628	Natural White	S 0603-G80Y	9010	MAT	MAT	MAT	MAT
F9629	Cool White	S 0502-G50Y	9016	MAT	MAT	MAT	MAT
F9646	Cement Grey	S 1002-Y	9018	MAT	MAT	MAT	MAT
F9647	Tan	S 1005-Y20R	1013	MAT	MAT	MAT	MAT
F9649	Fired Clay	S 1010-Y40R	1015	MAT	MAT	MAT	MAT
F9650	Earthen	S 3040-Y70R	3012	MAT	MAT	MAT	MAT
F9651	Terrain	S 6005-Y50R	7006	MAT	MAT	MAT	MAT
F9652	Smoked Grey	S 2002-G50Y	7035	MAT	MAT	MAT	MAT
F9653	Eucalyptus Green	S 4010-G30Y	7033	MAT	MAT	MAT	MAT
F9654	Warm Grey	S 4502-Y	7030	MAT	MAT	MAT	MAT
F9655	River Grey	S 5500-N	7037	MAT	MAT	MAT	MAT
F9656	Industrial Grey	S 7005-B20G	7011	MAT	MAT	MAT	MAT
F9686	Burnt Grey	S 7502-Y	7022	MAT	MAT	MAT	MAT
F9687	Cinder Grey	S 8502-B	7016	MAT	MAT	MAT	MAT
F9688	Carbon Black	S 9000-N	9005	MAT	MAT	MAT	MAT
F9689	Exterior Yellow	S 1070-Y10R	1004	MAT	MAT	MAT	MAT
F9690	Exterior Green	S 3050-G20Y	6017	MAT	MAT	MAT	MAT
F9691	Exterior Red	S 1080-Y90R	3020	MAT	MAT	MAT	MAT
F9692	Exterior Blue	S 4040-R90B	5007	MAT	MAT	MAT	MAT

EDF - Exterior grade, severe use, flame retardant grade.

Manufactured to European Standard EN 438:2016 part 6.

Colour system notations:

NCS® and RAL Classic notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only. When exact colour information is required, or for cross-material matching (HPL to other materials), please always refer to an actual laminate sample in the specified finish.

Disclaimer

General

The information provided by Formica Group ("Formica") in this document is solely indicative. Formica is unable to warrant the accuracy and completeness of this information. No rights can be derived from the information provided; the use of the information is at the other party's risk and responsibility.

Colours used in Formica's communications (including but not limited to printed matter) and in samples of Formica's may differ from the colours of the Formica products to be supplied. Formica's products and samples are produced within the specified colour tolerances and the colours (of production batches) may differ, even if the same colour is used. The viewing angle also influences the colour perception. The specified colour stability and colour specifications relate only to the decorative surface of the Formica products, not to the core material and samples of the Formica products. Colour system notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only. When exact colour information is required, please always refer to an actual laminate sample in the specified finish. Customers and third parties must have a professional adviser inform them about (the suitability of) the Formica products for all desired applications and about applicable laws and regulations. Formica is not liable (neither contractual nor non contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of willful misconduct or gross negligence on the part of Formica and/or its management.

General Conditions

All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities of Formica are governed by the Formica General Terms and Conditions of Sale in effect at the time of sale and contained in every order acknowledgement and are available upon request.

All general terms and conditions other than the conditions mentioned above are dismissed and do not apply, regardless of whether such terms and conditions are referred to on requests for offers, offer confirmations, stationery and/or other documents of the other party, even if Formica does not expressly object to such terms and conditions.

Intellectual property

All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by Formica Group and/or its licensors.

Any use of the content of this document, including distribution, reproduction, disclosure, storage in an automated data file or the dispatch of such a file without Formica's prior written consent is explicitly prohibited.

Formica, the Formica Anvil Device and VIVIX+ are registered trademarks of The Diller Corporation. © 2021 The Diller Corporation

Cladding made convenient for you

Not only are VIVIX+® panels manufactured in the Nordics, our partner network provide full distribution across the region.

Panel sizes are designed for ease of handling and installation, while also providing optimised module design and processing efficiencies.

- VIVIX+ high pressure laminate panels are made from layers of wood based (natural) fibres and impregnated with thermosetting resins.
- Minimal dust and mess created during cutting and installation process.
- Panels can even be modified on site, using conventional wood working tools.
- Coordinated cutting service available through partner network.
- VIVIX+ panels are relatively lightweight.





NORDIC FACADE SOLUTIONS

Nordic Facade Solutions Oy
Tehtaantie 12, 35990 Kolho, Finland

Denmark

Tel: +45 89872925

Finland

Tel: +358 942454660

Norway

Tel: +47 80013016

Sweden

Tel: +46 844680611

nordicfacadesolutions.com



High performance architectural panels by Formica Group