

FALCO CYCLE STANDS




CYKELSTÄLL & CYKELBÅGAR

Enkel och effektiv cykelparkering är ofta eftersträvsamt i miljöer med mycket cykeltrafik, något vi på Falco strävar efter att möjliggöra med våra kompakta cykelställ. Vi erbjuder ett brett sortiment av cykelställ och cykelbågar i olika former, storlekar, färger och material.

DISKRETA | Passar in i alla typer av miljöer

BUDGET | Vi har ett brett sortiment för att möta varje budget

SMIDIGA | Enkla och effektiva cykelparkeringar





Form

I vårt utbud av cykelbågar och cykelställ finns modeller med både runda och rektangulära stålkonstruktioner. Vid förfrågan kan cykelbågarna, tillsammans med Falcos produktdesigners, skräddarsys utifrån era behov.

Centrumavstånd

På sidan 8 finns en förteckning över våra olika modeller med respektive modells cc-mått i olika varianter.

FalcoSheffield cykelbåge, med eller utan tvärstång

FalcoSheffields enkla och klassiska design gör modellen till en av våra mest populära. FalcoSheffield kommer i standardutförande med en enkel båge, och kan dessutom utrustas med en extra tvärbalk i mitten för extra säkerhet. Detta gör att cykeln enkelt kan låsas fast i ramen direkt på tvärbalken. FalcoSheffields stålrör tillverkas i storlekarna Ø41.5 mm, Ø48 mm samt Ø60 mm. Den grövre varianten lämpar sig väl för parkering av tyngre fordon, exempelvis mopeder.



FalcoFair cykelbåge

Material

I standardutförande är alla våra cykelställ tillverkade av 100% återvinningsbart stål, varmgalvaniserat enligt BS EN ISO 1461. Cykelbågarna går även att beställa i rostfritt stål samt Cortenstål. De varmgalvaniserade cykelbågarna kan på förfrågan pulverlackeras i valfri av våra 192 RAL-kulörer.



Cykelbågar tillverkade av Cortenstål och hardwood

Falcolon cykelbåge med ladduttag

Allt fler elcyklar innebär ett allt större behov av laddstationer, Falco har därför utvecklat denna pollare där ladduttaget är integrerat i röret.

Falcolon är en mycket hållbar produkt, tillverkad av material som kommer hålla i många år. Låsöglans design gör att man enkelt låser fast cykeln i ramen.

I grundutförande lutar man cykeln mot cykelbågen, men det går även att beställa Falcolon med en skena för framdäcket. Falcolon går vid behov att beställa med två ladduttag, alternativt helt utan.



Falcolon cykelbåge med ladduttag för elcykel

FalcoForce cykelbåge med eller utan ladduttag

FalcoForce är ett enkelt men praktiskt cykelställ i modern tappning, vid vilket man kan parkera två cyklar. Den karaktäristiska bågen gör det enkelt för cyklisten att låsa fast sin cykel i ramen, snarare än i framdäcket. Både säkrare och enklare! FalcoForce går dessutom att utrusta med integrerade laddstationer, för att erbjuda en smidig lösning för laddning av elcyklar.

FalcoForce cykelbågar består av ett rektangulärt stålrör som mäter 50x50 mm. Cykelstället är 981 mm långt och 854 mm högt.

Alla våra cykelbågar kan på förfrågan pulverlackeras i valfri av våra 192 RAL-kulörer.



Falco levererar laddstationen, men inte kopplingen till det lokala elnätet.



CYCLE STANDS DIAM. Ø42MM



CYCLE STANDS DIAM. Ø48MM, POWDERCOATED



CYCLE STANDS 05.241, STAINLESS STEEL



FALCOTOASTER CYCLE STAND, GALVANISED



CYCLE STAND 02.681, GALVANISED



CYCLE STAND WITH CROSS STRUT, 02.555



CYCLE STAND DIAM. Ø60MM



CYCLE STAND FALCOFAIR



GALVANISED CYCLE STAND, DIAM. 42MM

Description	Part Code
Cycle stand diam. Ø42x2 mm, length 330mm, total height 900mm, galvanised	02.002.000
Cycle stand diam. Ø42x2 mm, length 750mm, total height 1100mm, galvanised	02.004.000
Cycle stand with cross strutt diam. Ø42x2 mm, length 750mm, total height 1100mm, galvanised	02.006.000
Cycle stand diam. Ø42x2 mm, length 900mm, total height 1100mm, galvanised	02.008.000
Cycle stand with cross strutt diam. Ø42x2 mm, length 900mm, total height 1100mm, galvanised	02.010.000
Cycle stand with cross strutt diam. Ø42x2 mm, length 1200mm, total height 1100mm, galvanised	02.100.000
Cycle stand with cross strutt diam. Ø42x2 mm, length 1500mm, total height 1100mm, galvanised	02.101.000
Cycle stand with cross strutt diam. Ø42x2 mm, length 1800mm, total height 1100mm, galvanised	02.102.000
Cycle stand with cross strutt diam. Ø42x2 mm, length 2100mm, total height 1100mm, galvanised	02.103.000
Cycle stand with cross strutt diam. Ø42x2 mm, length 2400mm, total height 1100mm, galvanised	02.104.000
Cycle stand with cross strutt diam. Ø42x2 mm, length 2700mm, total height 1100mm, galvanised	02.105.000
Cycle stand with cross strutt diam. Ø42x2 mm, length 3000mm, total height 1100mm, galvanised	02.106.000

**GALVANISED CYCLE STAND, DIAM. 48MM**


Description	Part Code
Cycle stand diam. 47,5 mm, length 900mm, total height 1250mm, galvanised	02.540.000
Cycle stand diam. 47,5 mm, length 1200mm, total height 1250mm, galvanised	02.541.000
Cycle stand diam. 47,5 mm, length 1500mm, total height 1250mm, galvanised	02.542.000
Cycle stand diam. 47,5 mm, length 2100mm, total height 1250mm, galvanised	02.544.000
Cycle stand diam. 47,5 mm, length 3000mm, total height 1250mm, galvanised	02.547.000

**GALVANISED CYCLE STAND, DIAM. 60MM**

Description	Part Code
Cycle stand with cross strutt diam. Ø60x2 mm, length 900mm, total height 1250mm, galvanised	02.550.000
Cycle stand with cross strutt diam. Ø60x2 mm, length 1200mm, total height 1250mm, galvanised	02.551.000
Cycle stand with cross strutt diam. Ø60x2 mm, length 1500mm, total height 1250mm, galvanised	02.552.000
Cycle stand with cross strutt diam. Ø60x2 mm, length 1800mm, total height 1250mm, galvanised	02.553.000
Cycle stand with cross strutt diam. Ø60x2 mm, length 2100mm, total height 1250mm, galvanised	02.554.000
Cycle stand with cross strutt diam. Ø60x2 mm, length 2400mm, total height 1250mm, galvanised	02.555.000
Cycle stand diam. Ø60x2 mm, length 900mm, total height 1250mm, galvanised	02.560.000
Cycle stand diam. Ø60x2 mm, length 1200mm, total height 1250mm, galvanised	02.561.000
Cycle stand diam. Ø60x2 mm, length 1500mm, total height 1250mm, galvanised	02.562.000
Cycle stand diam. Ø60x2 mm, length 1800mm, total height 1250mm, galvanised	02.563.000
Cycle stand diam. Ø60x2 mm, length 2400mm, total height 1250mm, galvanised	02.565.000
Cycle stand diam. Ø60x2 mm, length 3000mm, total height 1250mm, galvanised	02.567.000

**CYCLE STANDS, STAINLESS STEEL**

Description	Part Code
Cycle stand diam. Ø48,3x2 mm, length 600mm, total height 1325mm, stainless steel	05.003.000
Cycle stand diam. Ø48,3x2 mm, length 900mm, total height 1250mm, stainless steel	05.240.000
Cycle stand diam. Ø48,3x2 mm, length 1200mm, total height 1250mm, stainless steel	05.241.000
Cycle stand diam. Ø48,3x2 mm, length 1500mm, total height 1250mm, stainless steel	05.242.000
Cycle stand with cross strut diam. Ø48,3x2 mm, length 900mm, total height 1250mm, stainless steel	05.250.000
Cycle stand with cross strut diam. Ø48,3x2 mm, length 1200mm, total height 1250mm, stainless steel	05.251.000



FALCOFAIR CYCLE STAND

Description	Part Code	
FalcoFair cycle stand 40x40mm, width 1024mm, total height 1100mm	02.015.000	
FalcoFair cycle stand 40x40mm, width 1024mm, height 900mm with two base plates	02.015.010	


FALCOTOASTER

Description	Part Code	
FalcoToaster cycle rack diam. 60/47,5 mm, length 1800mm, number of stands: 3 beugels, c.t.c. 600mm	01.245.003	
FalcoToaster cycle rack diam. 60/47,5 mm, length 2400mm, number of stands: 4 beugels, c.t.c. 600mm	01.245.004	
FalcoToaster cycle rack diam. 60/47,5 mm, length 3000mm, number of stands: 5 beugels, c.t.c. 600mm	01.245.005	
FalcoToaster cycle rack diam. 60/47,5 mm, length 2250mm, number of stands: 3 beugels, c.t.c. 750mm	01.245.103	
FalcoToaster cycle rack diam. 60/47,5 mm, length 3000mm, number of stands: 4 beugels, c.t.c. 750mm	01.245.104	
FalcoToaster cycle rack diam. 60/47,5 mm, length 3985mm, number of stands: 5 beugels, c.t.c. 750mm	01.245.205	



FALCOLION CYCLE STAND

Description	Part Code
Falcolon cycle stand with locking 'eye' and 1 integrated charging point 230V, with welded-on base plate round 220mm at ground level	01.382.025
Falcolon cycle stand with locking 'eye' and 1 integrated charging point 230V, with concrete base 300x300x240x500x300mm under surface level 150mm	01.382.136
Falcolon cycle stand with locking 'eye' and 2 integrated charging points 230V, with concrete base 300x300x240x500x300mm under surface level 150mm	01.382.235



FALCOFORCE


Description	Part Code
FalcoForce cycle stand 50mm x 50mm steel box section, total width 981mm, above surface height 854mm	02.012.000
FalcoForce cycle stand 50mm x 50mm steel box section, total width 981mm, above surface height 854mm, powdercoated in RAL colour	PC02.012.000
FalcoForce cycle stand 50mm x 50mm steel box section, total width 981mm, above surface height 854mm, with two base plates	02.012.010
FalcoForce cycle stand 50mm x 50mm steel box section, total width 981mm, above surface height 854mm, with two base plates, powdercoated in RAL colour	PC02.012.010
FalcoForce cycle stand 50mm x 50mm steel box section, total width 981mm, above surface height 854mm, with concrete blocks 300x300x300mm,	02.012.135
FalcoForce cycle stand 50mm x 50mm steel box section, total width 981mm, above surface height 854mm, with concrete blocks 300x300x300mm, powdercoated in RAL colour	PC02.012.135



Recommended c.t.c distances, various placing opportunities.


Installation layout when parking cycles on both sides of the cycle stand.

C.t.c. min. 900mm + (D = Ø diam. tube)




Installation layout when parking cycles on one side of the cycle stand.

C.t.c. min. 650mm + (D = Ø diam. tube)



Installation layout when parking cycles on both sides of the cycle stand with no enclosure. C.t.c. min. 900mm + (D = Ø diam. tube)



Installation layout when parking cycles on one side of the cycle stand with no enclosure. C.t.c. min. 650mm + (D = Ø diam. tube)

