vedette

Vedette pairs a modern, minimalist design with a warm light to emphasise external architectural details. There are five different optics to choose from, including round and square, and single and double beam.

Materials
Anodised aluminium

Fox Belysning AB Tellusgången 8 Telefonplan 126 26 Hägersten 08-440 85 40

Vedette_R Single emission | Wall light | 190-250 V | powerLED 2 W DC - 2,4 W AC



CRI 80

White	**96126**	2700 K	219 lm	**M**	Narrow Spot	**08**
Black	**96127**	3000 K	233 lm	**W**	Spot	**15**
Grey	**96128**	4000 K	249 lm	**N**	Medium Flood	**30**
Cor-Ten	**96129**				Flood	**60**
					General	**00**

Vedette_R Single emission | Wall light | 180-300 V | powerLED 8 W DC - 9,6 W AC



CRI 80

White	**96134**	2700 K	610 lm	**M**	Spot	**15**
Black	**96135**	3000 K	644 lm	**W**	Medium Flood	**30**
Grey	**96136**	4000 K	711 lm	**N**	Flood	**60**
Cor-Ten	**96137**				General	**00**

Vedette_R Single emission | Wall light | 180-300 V | powerLED 15 W DC - 16,4 W AC



CRI 80

White	**96142**	2700 K	1375 lm	**M**	Spot	**15**
Black	**96143**	3000 K	1480 lm	**W**	Medium Flood	**30**
Grey	**96144**	4000 K	1586 lm	**N**	Flood	**60**
Cor-Ten	**96145**				General	**00**

Vedette_R Double emission | Wall light | 190-250 V | powerLED 2 W DC - 2,4 W AC

RTG **96130W30**



CRI 80

White	**96130**	2700 K	272 lm	**M**	Narrow Spot	**08**
Black	**96131**	3000 K	290 lm	**W**	Spot	**15**
Grey	**96132**	4000 K	310 lm	**N**	Medium Flood	**30**
Cor-Ten	**96133**				Flood	**60**
					General	**00**

Vedette_R Double emission | Wall light | 180-300 V | powerLED 8 W DC - 9,6 W AC

RTG **96138W30**



CRI 80

White	**96138**	2700 K	818 lm	**M**	Spot	**15**
Black	**96139**	3000 K	864 lm	**W**	Medium Flood	**30**
Grey	**96140**	4000 K	954 lm	**N**	Flood	**60**
Cor-Ten	**96141**				General	**00**

Vedette_R Double emission | Wall light | 180-300 V | powerLED 26 W DC - 31,2 W AC



CRI 80

White	**96146**	2700 K	2486 lm	**M**	Spot	**15**
Black	**96147**	3000 K	2676 lm	**W**	Medium Flood	**30**
Grey	**96148**	4000 K	2868 lm	**N**	Flood	**60**
Cor-Ten	**96149**				General	**00**

Vedette_Q Single emission | Wall light | 190-250 V | powerLED 2 W DC - 2,4 W AC



CRI 80

White	**96102**	2700 K	219 lm	**M**	Narrow Spot	**08**
Black	**96103**	3000 K	233 lm	**W**	Spot	**15**
Grey	**96104**	4000 K	249 lm	**N**	Medium Flood	**30**
Cor-Ten	**96105**				Flood	**60**
					General	**00**

Vedette_Q Single emission | Wall light | 180-300 V | powerLED 8 W DC - 9,6 W AC



CRI 80

White	**96110**	2700 K	610 lm	**M**	Spot	**15**
Black	**96111**	3000 K	644 lm	**W**	Medium Flood	**30**
Grey	**96112**	4000 K	711 lm	**N**	Flood	**60**
Cor-Ten	**96113**				General	**00**

Vedette_Q Single emission | Wall light | 180-300 V | powerLED 15 W DC - 16,4 W AC



CRI 80

White	**96118**	2700 K	1375 lm	**M**	Spot	**15**
Black	**96119**	3000 K	1480 lm	**W**	Medium Flood	**30**
Grey	**96120**	4000 K	1586 lm	**N**	Flood	**60**
Cor-Ten	**96121**				General	**00**

Vedette_Q Double emission | Wall light | 190-250 V | powerLED 2 W DC - 2,4 W AC



CRI 80

White	**96106**	2700 K	272 lm	**M**	Narrow Spot	**08**
Black	**96107**	3000 K	290 lm	**W**	Spot	**15**
Grey	**96108**	4000 K	310 lm	**N**	Medium Flood	**30**
Cor-Ten	**96109**				Flood	**60**
					General	**00**

Vedette_Q Double emission | Wall light | 180-300 V | powerLED 8 W DC - 9,6 W AC

RTG **96114W30**



CRI 80

White	**96114**	2700 K	818 lm	**M**	Spot	**15**
Black	**96115**	3000 K	864 lm	**W**	Medium Flood	**30**
Grey	**96116**	4000 K	954 lm	**N**	Flood	**60**
Cor-Ten	**96117**				General	**00**

Vedette_Q Double emission | Wall light | 180-300 V | powerLED 26 W DC - 31,2 W AC



CRI 80

White	**96122**	2700 K	2486 lm	**M**	Spot	**15**
Black	**96123**	3000 K	2676 lm	**W**	Medium Flood	**30**
Grey	**96124**	4000 K	2868 lm	**N**	Flood	**60**
Cor-Ten	**96125**				General	**00**

Vedette_Q blade Single emission | Wall light | 180-300 V | powerLED 6 W DC - 7,2 W AC



CRI 80

White	**97048**	2700 K	657 lm	**M**	Narrow Spot	**05**
Black	**97049**	3000 K	699 lm	**W**		
Grey	**97050**	4000 K	747 lm	**N**		
Cor-Ten	**97051**					

Vedette_Q blade Double emission | Wall light | 180-300 V | powerLED 12 W DC - 13 W AC



CRI 80

White	**97185**	2700 K	1314 lm	**M**	Narrow Spot	**05**
Black	**97186**	3000 K	1398 lm	**W**		
Grey	**97187**	4000 K	1494 lm	**N**		
Cor-Ten	**97188**					

Vedette_Q blade Double emission | Wall light | 180-300 V | arrayLED 12 W DC - 14,4 W AC



CRI 80

White	**97052**	2700 K	1342 lm	**M**	5°+ 60°	**56**
Black	**97053**	3000 K	1486 lm	**W**		
Grey	**97054**	4000 K	1684 lm	**N**		
Cor-Ten	**97055**					

Vedette_Q blade Single emission | Wall light | 180-300 V | powerLED 24 W DC - 28,8 W AC



CRI 80

White	**91599**	2700 K	2288 lm	**M**	Narrow Spot	**05**
Black	**91600**	3000 K	2288 lm	**W**		
Grey	**91601**	4000 K	2463 lm	**N**		
Cor-Ten	**91602**					

Vedette_Q asymmetric Single emission | Wall light | 180-300 V | powerLED 6 W DC - 7,2 W AC



CRI 80

White	**81574**	2700 K	685 lm	**M**	Asymmetric	**07**
Black	**81575**	3000 K	739 lm	**W**		
Grey	**81576**	4000 K	985 lm	**N**		
Cor-Ten	**81577**					

Vedette_Q asymmetric Double emission | Wall light | 180-300 V | powerLED 13,5 W DC - 16,2 W AC



CRI 80

White	**81578**	2700 K	1324 lm	**M**	Asymmetric + 5°	**62**
Black	**81579**	3000 K	1413 lm	**W**	Asymmetric + 30°	**63**
Grey	**81580**	4000 K	1730 lm	**N**	Asymmetric + 60°	**64**
Cor-Ten	**81581**					

* For the following product, see the price list

81574W07



Photometric curve



Light beam



10 LUX | 30 LUX | 50 LUX | 70 LUX



Floor plan