



Attractive finish – HOPPE handles in black matt

For all HOPPE door and window handles ...



Contents





Interior door sets

page 5



page 11



page 15

page 29







General information

page 34

Highly fashionable: aluminium architectural fittings in black matt

There is a good reason why black is such a popular colour for door and window handles – depending on how they are combined, they can create very different effects in living spaces: elegant and unobtrusive or high-contrast and vibrant.

Lovers of black will find a large selection of different door fittings and window handles at HOPPE, such as aluminium architectural fittings in black matt, which are available from us in the colour designation F9714M.

Many of HOPPE's most popular series such as Dallas, Tôkyô and Toulon are available in F9714M – in many cases both as a door handle set and as window handles, available with or without burglary-resistant technology.

The HOPPE architectural fittings in black matt are manufactured from aluminium, an ideal material for door and window handles. The natural corrosion protection that forms when the material is processed makes aluminium architectural fittings extraordinarily resistant to environmental influences and mechanical damages. Furthermore, aluminium handles have no adverse effects on health whatsoever and can be fully recycled without loss of quality. Aluminium architectural fittings do not require special care – any dirt can be removed quite simply using a damp cloth.

Like all HOPPE products, handles in the colour F9714M are made in Europe and are covered by a ten-year guarantee on mechanical operation. After all, HOPPE architectural fittings are brand products – which HOPPE considers a promise of quality.



Interior door sets








Quick-Fit

Hamburg - 1700/42FI/42FIS

dura**plus**®

- HOPPE aluminium handle set on rose with escutcheons for interior doors:Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide
- bearing
 Connection: HOPPE Quick-Fit connection with HOPPE solid spindle (spindle receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description	-		Kaybala	F9714M		ы	o.c.
Description	μœΡ		Keyhole	Art. no./€		F.U.	0.0.
Door handle set	37-42	8	\square	11782754		1	10
			U	24.91			
Bathroom/WC handle	37-42	8	ନ୍ମ୍ରୀ,5	11783060		1	10
set with red-white-		5 diag.	61,5	32.99			
indicator							






Quick-Fit

New York - 1810/42FI/42FIS

- HOPPE aluminium handle set on rose with escutcheons for interior doors:Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide
- bearing
 Connection: HOPPE Quick-Fit connection with HOPPE solid spindle (spindle receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws











Stockholm -	1140/42FI/42FIS
•••••	

dura**plus**®

- HOPPE aluminium handle set on rose with escutcheons for interior doors:
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide
- bearing
 Connection: HOPPE Quick-Fit connection with HOPPE solid spindle (receiver receiver components)
- Base: nylon, supporting lugs
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws






H

Tôkyô - 1710/42FI/42FIS

dura**plus**®

- HOPPE aluminium handle set on rose with escutcheons for interior doors:
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide
- bearing
 Connection: HOPPE Quick-Fit connection with HOPPE solid spindle (receiver -
- receiver components)
- Base: nylon, supporting lugs
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws





Quick-Fit



Quick-Fit


Tôkyô - 1710/42K/42KS

- HOPPE aluminium handle set on rose with escutcheons for interior doors:
- Tested to DIN EN 1906: 37-0140A, handle set for commercial applications
 Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide
- Connection: HOPPE Quick-Fit connection with HOPPE solid spindle (receiver -
- receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws



dura**plus**®

	F-F-F	Kovholo	F9714M				ווס	00
	⊯⊸⊢	Reynole	Art. no./€				F.U.	0.0.
'5-85	8	\bigcirc	11747717				1	10
		U	18.10					
	5-85			Image: Product of the second secon	Image: Point of the second	Image: Weyhole Art. no./€ 5-85 8 11747717	Image: Weyhole Keyhole Art. no./€ 5-85 8 ∩ 11747717	Image: Weyhole Keyhole Art. no./€ P.U. 5-85 8 ∩ 11747717 1



For DIN-standard-locks.

dura**plus**®




42FIS

 HOPPE aluminium escutcheon pair with emergency release/turn and red-white-indicator for bathroom/WC doors:

- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description	d	-	Keyhole	F9714M		P.U.	
Description	- CP		Reynole	Art. no./€		F.U.	0.0.
Bathroom/WC	37-40		କ୍ <u>ମ</u> 1,5	11776705		5	30
escutcheon with		5 diag.	ě	17.24			
red-white-indicator,		_					
offset by +1,5 mm, pair							






dura**plus**®



42FIS

- HOPPE aluminium escutcheon with turn fot entrance doors (interior side):
- Bearing: fixed/movable turn
- Connection: for 5 mm diagonal or 8 mm flat spindle
- Base: nylon
- Fixing: concealed, from inside, M5 thread screws that can be shortened

Description	d to b	,	Keyhole	F9714M		ы	0.C.
Description	1900P		Reynole	Art. no./€		F.U.	0.0.
Turn on rose, piece			5,5	11805663		50	50
				12.77			



Handle sets on mini rose







Quick-Fit


Dallas - 1643/845

HOPPE aluminium handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: HOPPE Quick-Fit connection with HOPPE solid spindle (spindle receiver components)
- Fixing: plug-in mini roses

Special feature: non-screw fitting

Description			F9714M		ы	0.C.
Description	1957P	l ∔ →I	Art. no./€		F.U.	0.0.
Door handle set	35-45	8	10803974		1	10
without escutcheon			47.29			
	35-55	8	11621849		1	10
			48.02			



For DIN-standard-locks.

dura**plus**®



Stockholm - 1140/845

dura**plus**®

- HOPPE aluminium handle set on mini rose without escutcheons for interior doors:
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: HOPPE Quick-Fit connection with HOPPE solid spindle (spindle -
- receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting

Description	d d d d d d d d d d d d d d d d d d d	LT.	F9714M		P.U.	
Description	μ <u>η</u> ρ	₩₩	Art. no./€		דין.	0.0.
Door handle set	35-45	8	11536305		1	10
without escutcheon			28.39			
	35-55	8	11650005		1	10
			29.12			



132











M845S

HOPPE brass mini-escutcheon pair with emergency release/turn for bathroom/WC doors:

Connection: HOPPE solid spindle

• Fixing: with grub screw, additionally with silicone or adhesive

Description			Keyhole	F9714M		ы	O.C.
Description		⊌	rteynole	Art. no./€		F.U.	0.0.
Escutcheon, pair			\bigcap	11625028		5	25
			U	15.44			
Bathroom/WC	33-38			10803835		5	25
escutcheon, pair		5-8		21.45			
	38-43			11605224		5	25
		5-8		21.45			
	43-48			11621278		5	25
		5-8		21.45			
	48-53		θ	11621285		5	25
		5-8		21.45			

For DIN-standard-locks.

dura**plus**®

M846S

HOPPE brass mini-escutcheon pair for interior doors: • Fixing: plug-in, additionally with silicone or adhesive

Fixing: plug-in, additionally with since
 Special feature: non-screw fitting

Description	d	, , , , ,	Keyhole	F9714M		ы	0.C.
Description	PUP		rteynole	Art. no./€		F.U.	0.0.
Escutcheon, pair				11550880		5	25
			U	15.44			
			0	10803827		5	25
			U	15.44			



For DIN-standard-locks.

Window handles Lift/slide handle sets







Dallas - 0643/US944

HOPPE aluminium turn/tilt window handle with Secustik® and VarioFit®:






- Tested to DIN EN 13126-3: 23/180-0150/03/C1 and RAL-GZ 607/9
- Stop-in position: 90°
- Cover: full cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle, adjustable length of 10 mm, smooth adjustment thanks
- to the pressure spring integrated in the handle neck
- Fixing: concealed, M5 thread screws • Special feature: built-in basic security



Descripti	on	Lugs	L I I	Projecting	F9714M		ווס	0.C.
Descripti	UII	Ø	•	Screws	Art. no./€		F.U.	0.0.
Window	handle, piece	10	7	32-42	11575840		10	40
				M5 x 45/50	21.24			






Dallas - HS-0643/419N-AS

dura**plus**®

HOPPE aluminium lift/slide handle set for patio doors:

- Bearing: fixed/movable handles
- Stop-in position: 180°
- Base: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description	-		Keyhole/	F9714M		ווס	0.C.
Description	hQb	l i i i i i i i i i i i i i i i i i i i	Distance	Art. no./€		F.U.	0.0.
Lift/slide handle set	75-80	10x128) 69	11722277		1	4
(handle/handle)			U	113.36			






Dallas - HS-0643/419N-AS/420

dura**plus**®

- HOPPE aluminium lift/slide handle set for patio doors, exterior with recessed pull:
- Bearing: fixed/movable handle
- Stop-in position: 180°
- Base: outside: none, inside: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws


Description	d		Keyhole/	F9714M		P.U.	00
Description		₩	Distance	Art. no./€		1.0.	0.0.
Lift/slide handle set	75-80	10x73	69	11720755		1	4
(recessed pull/handle)			U	64.56			
			with-	11642270		1	4
			lout	64 56			



London - 013VK/350KL

- HOPPE aluminium handle half set on backplate with turn for French doors:
- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: HOPPE solid spindle, turn with cross spindle
- Fixing: visible, for multi-purpose screws

Description	Keyh	ole/	.	Projecting	F9714M		P.U.	00
Description	Dista	nce	₩	Screws	Art. no./€		1.0.	0.0.
Handle half set on	\cap	60	8	without	11787284		50	50
backplate with turn,				without	16.90			
cranked right								
Handle half set on	\cap	60	8	without	11787272		50	50
backplate with turn,				without	16.90			
cranked left								










London - 113/350KL

- HOPPE aluminum handle half set on backplate for French doors:
- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: for HOPPE solid spindle with predetermined breaking point
- Fixing: visible, for multi-purpose screws

Doc	scription	Keyhole/	F-I-I	Projecting	F9714M		ы	0.C.
Des	scription	Distance		Screws	Art. no./€		F.U.	0.0.
Har	ndle half set on	with-	8	without	11788276		50	50
bac	ckplate	out		without	10.35			






Stockholm - 0140/US956

HOPPE aluminium turn/tilt window handle with **Secustik®** and **VarioFit®**: • Tested to **DIN EN 13126-3: 23/180-0150/03/C1** and **RAL-GZ 607/9**

- Stop-in position: 90°
- Cover: full cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle, adjustable length of 10 mm, smooth adjustment thanks
- to the pressure spring integrated in the handle neck
- Fixing: concealed, M5 thread screws
- Special feature: built-in basic security

Description	Lugs	F.	Projecting	F9714M		ы	O.C.
Description	Ø	₩	Screws	Art. no./€		F.U.	0.0.
Window handle, piece	10	7	32-42	11833051		10	40
			M5 x 45/50	16.25			






Tôkyô - 0710S/U26

HOPPE aluminium lockable turn/tilt window handle:

- Locking mechanism: push cylinder, reversible key
- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, M5 thread screws

Description	Lugs		Projecting	F9714M		ы	0.C.
Description	Ø	⊯	Screws	Art. no./€		F.U.	0.0.
Window handle,	10	7	35	10790528		10	40
lockable, piece			M5 x 45	20.98			



duraplus®

RAL

dura**plus**®



18



9

Tôkyô - 0710/U26

- HOPPE aluminium turn/tilt window handle:
- Tested to DIN EN 13126-3: 23/180-0150/03/C1 and RAL-GZ 607/9
- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, M5 thread screws


	*
--	---

dura**plus**®

dura**plus**®

RAL


	Lugs	[]	Projecting	F9714M		ы	0.C.
Description	Ø	₩	Screws	Art. no./€		F.U.	0.0.
Window handle, piece	10	7	58	11748285		100	100
			M5 x 70	6.71			



Tôkyô - 0710EVKS/6

- HOPPE cranked lockable aluminium Espagnolette handle:
- Locking mechanism: push button locking cylinder, reversible key
- Stop-in position: none
- Cover: partial cover cap
- Base: aluminium, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, for M5 thread screws
- Special feature: for side-hung and top-hung outward opening windows, no tilt position, handle rotation up to 90°, non-lockable version with nylon cylinder cover cap (order separately)

Description	Lugs	LT.	Projecting	F9714M		P.U.	
Description	Ø	₩	Screws	Art. no./€		F.U.	0.0.
Espagnolette handle,	10	7	58	11749428		50	50
cranked right, lockable,			without	12.61			
piece							
Espagnolette handle,	10	7	58	11749490		50	50
cranked left, lockable,			without	12.61			
piece							








Tôkyô - 0710LVK/U71Z

HOPPE cranked aluminium window handle on narrow rosette:

- Stop-in position: none
- Cover: partial cover cap
- Base: zamak, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, for M5 thread screws
- \bullet Special feature: for outward-opening, pivoting windows, no tilt position, handle rotation angle up to 90°

Description	Lugs	<u></u>	Projecting	F9714M		P.U.	
Description	Ø		Screws	Art. no./€		P.U.	0.0.
Window handle	10	7	58	11753316		100	100
with narrow rosette,			without	9.18			
cranked right, piece							
Window handle	10	7	58	11753328		100	100
with narrow rosette,			without	9.18			
cranked left, piece							






Tôkyô - 0710VK/93S

HOPPE cranked aluminium half handle set on security backplate for windows and French doors:

- Tested to SS 3620:2010 class B
- Locking mechanism: for oval cylinder fixing by means of cylinder screw
- Spindle: HOPPE solid spindle with predetermined breaking point

• Fixing: visible, security screws

Description	Keyhole/		Projecting	F9714M		БП	0.C.	
Description	Dista	nce	⊯	Screws	Art. no./€		F.U.	0.0.
Half handle set on	\square	67	7	43	11896486		16	16
security backplate, cranked left				4,5 x 40	41.52			
Half handle set on security backplate, cranked right	0	67	7	43 4,5 x 40	11896498 41.52		16	16



9

dura**plus**®

20




Tôkyô - 0710VK/350KL

dura**plus**®

- HOPPE cranked aluminium handle half set on backplate for French doors:
- Bearing: fixed/movable, maintenance-free slide bearing • Spindle: HOPPE solid spindle
- Stop-in position: 90°
- Fixing: visible, for multi-purpose screws


Description	Keyh	ole/		Projecting	F9714M		ы	
Description	Dista	nce	╘╧┥	Screws	Art. no./€		P.U.	0.0.
Handle half set on	with-		8	53	11922874		50	50
backplate, cranked	out			without	12.17			
right	with-		8	without	11913137		50	50
	out			without	11.62			
	$\left \right $	60	8	without	11799596		50	50
	$ \cup$			without	11.62			
	$\left \bigcirc \right $	60	8	without	11871441		50	50
				without	12.06			
Handle half set on	with-		8	53	11922886		50	50
backplate, cranked left	out			without	12.17			
	with-		8	without	11913149		50	50
	out			without	11.62			
	$\left[\bigcap \right]$	60	8	without	11799602		50	50
	\cup			without	11.62			
	$\left \bigcirc \right $	60	8	without	11871435		50	50
	\square			without	12.06			



Tôkyô - 0710VK/350KL

- HOPPE aluminium handle half set on backplate with turn for French doors: Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: HOPPE solid spindle, turn with cross spindle
- Fixing: visible, for multi-purpose screws

			-				 	
Description	Keyh	ole/	L .	Projecting	F9714M		P.U.	
Description	Dista	ince	╠╧┙	Screws	Art. no./€		ד.ט.	0.0.
Handle half set on	\cap	60	8	without	11905955		50	50
backplate with turn,				without	16.51			
cranked right	\square	60	8	without	11786218		50	50
				without	16.51			
Handle half set on	\square	60	8	without	11799584		50	50
backplate with turn,				without	16.51			
cranked left	\square	60	8	without	11905967		50	50
				without	16.51			










Tôkyô - 0710VK/U14K

HOPPE cranked aluminium turn/tilt window handle on narrow rosette:

- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, for M5 thread screws

Description	Keyhole/		Projecting	F9714M		P.U.	00
Description	Distance	₩₩	Screws	Art. no./€		F.U.	0.0.
Window handle		7	35	2023943		10	100
with narrow rosette,			without	11.56			
cranked right, piece							
Window handle		7	35	2023978		10	100
with narrow rosette,			without	11.56			
cranked left, piece							






Tôkyô - 1710RH/93S

dura**plus**®

- HOPPE aluminium half handle set on security backplate for windows and French doors:
- Tested to SS 3620:2010 Klasse B
- Locking mechanism: for oval cylinder fixing by means of cylinder screw
- Spindle: HOPPE solid spindle with predetermined breaking point
- Fixing: visible, security screws

Description	Keyh	nole/	F	Projecting	F9714M		P.U.	
Description	Dista	ance	╞┷┿	Screws	Art. no./€		F.U.	0.0.
Half handle set on	$\left \right $	67	7	35	11915815		16	16
security backplate	U			4,5 x 40	41.52			
	\Box	67	8	53	11896413		16	16
	U			4,5 x 40	41.52			






Tôkyô - 1710RH/350KL

dura**plus**®

- HOPPE aluminum handle half set on backplate for French doors:
- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: for HOPPE solid spindle with predetermined breaking point
- Fixing: visible, for multi-purpose screws


Description	Keyhole/	I cin	Projecting	F9714M		P.U.	
Description	Distance	∣⊶	Screws	Art. no./€		F.U.	0.0.
Handle half set on	with-	8	without	11799298		50	50
backplate	out		without	11.62			
	60	8	without	11815838		50	50
	$ \cup$		without	11.62			



Tôkyô - 1710RH/350KL

- HOPPE aluminium handle half set on backplate with turn for French doors:
- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: HOPPE solid spindle, turn with cross spindle
- Fixing: visible, for multi-purpose screws

Description	Keyh	2 II i I E		Projecting	F9714M		P.U.	
Description	Dista	ince	₩	Screws	Art. no./€		F.U.	0.0.
Handle half set on	\square	60	8	without	11815905		50	50
backplate with turn				without	16.51			
	\cap	60	8	without	11890046		50	50
				without	16.51			





Tôkyô - 1710RVH/350KL


HOPPE aluminum handle half set on backplate for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: for HOPPE solid spindle with predetermined breaking point
- Fixing: visible, for multi-purpose screws


Description	Keyhole/		LTT.	Projecting	F9714M		יום	0.C.
Description	Dist	ance	╞╧┙	Screws	Art. no./€		F.U.	0.0.
Handle half set on	\cap	60	8	without	11870679		50	50
backplate	IU			without	14.66			i l

dura**plus**®

dura**plus**®




Bernsteinen	J
P	



HOPPE aluminium lift/slide handle set for patio doors:

- Bearing: fixed/movable handles
- Stop-in position: 180°
- Base: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description		F.F.F.	Keyhole/	F9714M		ы	0.C.
Description		⊢∔	Distance	Art. no./€		F.U.	0.0.
Lift/slide handle set	75-80	10	0 69	11720761		1	4
(handle/handle)			U	84.37			






Tôkyô - HS-571/431N-AS/420

dura**plus**®

- HOPPE aluminium lift/slide handle set for patio doors, exterior with recessed pull:
- Bearing: fixed/movable handle
- Stop-in position: 180°
- Base: outside: none, inside: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description	d	, tit	Keyhole/	F9714M		P.U.	00
Description	PCP	₩₩	Distance	Art. no./€		F.U.	0.0.
Lift/slide handle set	75-80	10x73	69	11748291		1	4
(recessed pull/handle)			U	50.05			
			with-	11748315		1	4
			out	50.05			



New

Toulon - 0737S/US947-1 100NM

dura**plus**®

RAL


HOPPE aluminium lockable turn/tilt window handle with **Secu100® + Secustik®** and **VarioFit®**:

- Tested to DIN EN 13126-3: 23/180-0132/33/C1 and RAL-GZ 607/9, RAL100;
- meets the requirements of DIN EN 1627-1630 RC1-6
- Locking mechanism: push cylinder, reversible key
- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle
- Fixing: concealed, M5 thread screws
- · Special feature: built-in basic security

₽ ^	

Secu100®
Secustik®
VarioFit [®]

Description	Lugs	[]	Projecting	F9714M		P.U.	0.C.
Description	Ø	H	Screws	Art. no./€		F.U.	0.0.
Window handle,	10	7	32-42	11506246		2	20
lockable, piece			M5 x 50/55	33.28			







Toulon - 0737/US947

HOPPE aluminium turn/tilt window handle with Secustik® and VarioFit®:




RAL

- Tested to DIN EN 13126-3: 23/180-0150/03/C1 and RAL-GZ 607/9
- Stop-in position: 90°
- Cover: partial cover cap
- Base: nylon, supporting lugs
- Spindle: HOPPE solid spindle, adjustable length of 10 mm, smooth adjustment thanks
- to the pressure spring integrated in the handle neck
- Fixing: concealed, M5 thread screws
- Special feature: built-in basic security




Description		Lugs	L I I	Projecting	F9714M		ы	00
Description		Ø	₩	Screws	Art. no./€		F.U.	0.0.
Window hand	le, piece	10	7	32-42	10793251		10	60
				M5 x 45/50	9.66			





HOPPE aluminium turn/1 • Tested to DIN EN 131 • Stop-in position: 90°	tilt windo 26-3: 23	ow h		I and RAL-G	Z 607/9	dura	
 Cover: partial cover ca Base: nylon, supportin Spindle: HOPPE solid s Fixing: concealed, for I 	, g lugs spindle	ad sc	prews				*
Description	Lugs	Ţ.	Projecting	F9714M			J. O.C
Description	Ø	H H	Screws	Art. no./€		F.'	J. O.O
Window handle, piece	10	7	58	11748266		5	0 50
			without	8.10			







Toulon - HS-0737/419N-AS

::


dura**plus**®



HOPPE aluminium	lift/slide	handle	set for	patio	doors:

- Bearing: fixed/movable handles
- Stop-in position: 180°
- Base: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description			Keyh		F9714M		P.U.	0.C.
		I	Dista	nce	Art. no./€			
Lift/slide handle set	75-80	10	$\left \right\rangle$	69	11645295		1	4
(handle/handle)			U		90.61			
Lift/slide handle half set		10	\bigcirc	69	11668994		1	4
(exterior side)			U		45.29			
Lift/slide handle half set		10	\bigcirc	69	11668878		1	4
(interior side)			ΙU		45.29			
			with-		11668745		1	4
			out		45.29			




Toulon - HS-0737/419N-AS/420

- HOPPE aluminium lift/slide handle set for patio doors, exterior with recessed pull:
- Bearing: fixed/movable handle
 Stop-in position: 180°
- Base: outside: none, inside: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

	μ

Description	d to b		Keyh	ole/	F9714M		ווס	0.C.
Description	pep		Dista	nce	Art. no./€		F.U.	0.0.
Lift/slide handle set	75-80	10x73	\bigcirc	69	11645635		1	4
(recessed pull/handle)			ΙU		53.17			
			with-		11645325		1	4
			out		53.17			




350KL

dura**plus**®

HOPPE aluminium backplate for French doors: • Fixing: visible, for multi-purpose screws

Description	Keyhole/	[]	Projecting	F9714M		ы	0.C.
Description		l 🖬	Screws	Art. no./€		F.U.	0.0.
Backplate without	without			11922965		20	100
handle hole, piece			without	6.68			



0

Pull handles








5004

HOPPE aluminium bar-shaped pull handle:

Supports: cranked

• Fixing: concealed, pull handle fixing system no. 11

Description	Ø	Length	F9714M		P.U.	
Description		Distance	Art. no./€		P.U.	0.0.
Bar-shaped pull	25	330	11620778		1	5
handle, piece		210	99.32			
		500	11690082		1	5
		210	105.33			




Amsterdam - 6400

dura**plus**®

dura**plus**®

HOPPE aluminium straight pull handle:Fixing: concealed, pull handle fixing system no. 11

Description	Distance	F9714M		PII	o.c.
Description	Distance	Art. no./€		F.U.	0.0.
Straight pull handle,	220	11722332		1	8
piece		50.88			






dura**plus**®


6737

HOPPE aluminium straight pull handle: • Fixing: concealed, pull handle fixing system no. 11

Description	Distance	F9714M		ы	0.C.
Description	Distance	Art. no./€		F.U.	0.0.
Straight pull handle,	250	11722393		1	8
piece		49.84			










General information

Symbols



Assessments for HOPPE products

Produkten finns med i SundaHus Miljödata	SundaHus Material Data supports making environmentally conscious material choices within the construction and property markets. HOPPE aluminium and stainless steel door handles and aluminium pull handles are listed at SundaHus.
BYGGVARU BEDÖMNINGEN	Byggvarubedömningen is a non-profitable organization and its assess- ments are based on criteria concerning chemical content and life cycle aspects. BVB aims to support wise choices of material for a good living environment.
	HOPPE aluminium door-, window handles and accessories have re- ceived the status "recommended" at Byggvarubedömning.
BASTA	BASTA is a self-declaration system for registering products that meet the BASTA or BETA criteria requirement concerning substances with hazardous properties. HOPPE products do not contain chemicals that are dangerous for health and environment.

Finish chart





Brand, special and product attributes of the "HOPPE – Handle of excellence." brand, certification marks

Regarding the "HOPPE – Handle of excellence." brand product, the following product features are distinguished:

Denomination	Description	Attribute
Brand attributes	distinguish all HOPPE productsconvey the brand promise	10-year guarantee on the me- chanical operation
		* EU ** **** Made in Europe
		DIN EN ISO 14001 Environmentally-considerate manufacturing
Special attributes	 underline a unique selling proposition or an essential additional benefit of the HOPPE brand product 	Secu100® Secustik®
		Secustik®
		Quick-Fit
		VarioFit®
Product attributes	 present important information on a product or a benefit of the product are identified with the pictograms designed by HOPPE 	Category of use grade 2 (3, 4) to DIN EN 1906
		Category of use grade 2 to DIN EN 13126-3
		Keyed locking
		Solid brass
		Very high corrosion resistance EN 1670, grade 4
		Extremely high corrosion resistance EN 1670, grade 5



HOPPE Nordic Countries Oy Hyrylänkatu 8 FI-04300 Tuusula Tel. +358 (0)9 25 84 34 24 info.nordic@hoppe.com www.hoppe.com HOPPE Nordic Countries i Sverige Post Box 29 SE-566 21 Habo info.nordic@hoppe.com www.hoppe.com

	Contraction Conductions (Contraction) All rights reserved 03/2021 (PDF)
HOPPE Nordic Countries i Sverige · Post Box 29 · SE-566 21 Habo www.hoppe.com · info.nordic@hoppe.com	© HOPF 03/2021